

FIG.1

FIG.2




FIG.3




FIG.4





FIG.5



```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
3:
     <meta name="author" content="Okure" />
4:
     <meta name="role" content="template" />
5:
     <layout>
6:
7:
      <root-layout width="352" height="144"/>
8:
      <region id="Image" width="176" height="120" left="0" top="0" />
9:
      <region id="Text" width="176" height="120" left="176" top ="0"/>
10:
       <region id="foot" width="352" height="24" left="0" top="121" />
11:
     </layout>
12:
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
13:
14:
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
16: </head>
```

```
17: <body>
18:
      <par>
19:
       <seq>
20:
        <par dur = "8s">
          <video src = "FirstImage.mpg" region="Image" />
21:
          <text src = "FirstText.txt" region="Text" />
22:
23:
          <audio src = "FirstSound.smf" />
24:
          <event ref="act_movie" src="UI" type="select" desc="MOVIE STARTUP"/>
25:
        </par>
26:
        <par dur = "7s">
27:
          <text src = "SecondText.txt" region="foot" />
          <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP"/>
28:
29:
         <event ref="act_text" src="UI" type="select" desc="TEXT INPUT"/>
30:
          <event ref="act_speech" src="timer" type="2s" desc="SOUND RECORDING"/>
31:
        </par>
32:
        <par dur = "4s">
         <img src = "ThirdImage.jpg" region="Image"/>
33:
         <text src = "ThirdText.txt" region="Text"/>
34:
35:
          <audio src = "ThirdSound.smf"/>
        </par>
36:
37:
       </seq>
38:
       <text src = "BottomText.txt" region="foot" begin="4s" end="15s" />
39:
     </par>
40: </body>
41:</smil>
```

FIG.8

plugin://movie	MOVIE STARTUP
plugin://camera	CAMERA STARTUP
plugin://textedit	TEXT INPUT
plugin://speech_coding	SOUND RECORDING

FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17








FIG.18












FIG.23




FIG.24




FIG.25




FIG.26




FIG.27





FIG.28


LOGIC SYMBOLS	HARDWARE KEY CODES
F1	F
F2	1
F3	2

```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
4:
     <meta name="role" content="contents" />
5:
     <layout>
      <root-layout width="352" height="144"/>
6:
      <region id="top width="352" height="72" left="0" top="0" />
7:
      <region id="middle" width="352" height="48" left="0" top ="72"/>
8: -
     </layout>
10:
     <action id="act_www" type="ext" dest="http://www.sharp.co.jp/sales" />
     <action id="act_mail" type="ext" dest="mailto://sales@sharp.co.jp"/>
12:
     <action id="act_phone" type="ext" dest="phone://09003476786" />
15: </head>
```

```
16: <body>
      <seq>
17:
        <par dur = "10s">
18:
         <img src="ProductImage.jpg" region="top" />
19:
         <text src = "ProductDesc.txt" region="middle" />
20:
21:
         <event begin="1s" dur="3s"ref="act_www" src="UI" type="select" />
         <event begin="4s" dur="3s" ref="act_phone" src="UI" type="select" />
22:
23:
         <event begin="7s" dur="3s" ref="act_mail" src="UI" type="select" />
24:
        </par>
25:
      </seq>
26: </body>
27:</smil>
```










FIG.34




FIG.35




FIG.36





FIG.37








FIG.39








FIG.41A




FIG.43





FIG.44







FIG.46



```
1: <smil>
2:
    <head>
      <meta name="title" content="navigation" />
     <meta name="author" content="Okure" />
4:
     <meta name="role" content="template" />
5:
6:
      <layout>
       <root-layout width="352" height="144"/>
7:
       <region id="Image" width="176" height="120" left="0" top="0" />
8:
       <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
10:
      </head>
11:
     <body>
12:
      <par>
13:
14:
        <seq>
         <par dur = "8s">
15:
           <img src = "FirstImage.jpg" region="Image" />
16:
17:
         </par>
         <par dur = "7s">
18:
           <img src = "SecondImage.jpg" region="Image" />
19:
20:
           <text src = "SecondText.txt" region="text" />
21:
         </par>
         \langle par dur = "4s" \rangle
22:
           .
<img src = "ThirdImage.jpg" region="Image"/>
<text src = "ThirdText.txt" region="text" />
23:
24:
25:
         </par>
26:
        </seq>
27:
      </par>
28: </body>
29: </smil>
```








FIG.49




```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
    <meta name="author" content="Okure" />
     <meta name="role" content="template" />
5:
6:
     <layout>
      <root-layout width="352" height="144"/>
7:
      <region id="Image" width="176" height="120" left="0" top="0" />
8:
      <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
      <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
12:
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
13:
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
15:
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
16: </head>
```









TRANSMITTED MESSAGES	TEMPLATES
1221	CONSIDERABLE AMOUNT OF FREE TIME
1222	THIS TASTES GOOD!
1223	CONSIDERABLE AMOUNT OF FREE TIME




FIG.57A




FIG.57B




FIG.58




FIG.59




FIG.60

APPLICATION	MEDIA TYPE
IMAGE TAKING	STILL IMAGE, ANIMATED IMAGE
SOUND DATA RECORDING	SOUND
FILE ACQUISITION	STILL IMAGE, ANIMATED IMAGE, TEXT

```
17: <body>
18: ·
       <seq>
        <par dur = "8s">
19:
20:
         <img src = "FirstImage.jpg" region="Image" />
21:
        </par>
22:
        <par dur = "7s">
         <img src = "SecondImage.jpg" region="Image" />
23:
24:
         <text src = "SecondText.txt" region="Text" />
         <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP"/>
25:
26:
        </par>
        <par dur = "4s">
27:
         <img src = "ThirdImage.jpg" region="Image"/>
28:
29:
         <text src = "ThirdText.txt" region="Text"/>
         <event ref="act_text" src="UI" type="select" desc="TEXT INPUT"/>
30:
31:
        </par>
32:
       </seq>
33: </body>
34:</smil>
```

FIG.62




FIG.63





FIG.64

USER CHANGED DATA	APPLICATION	INPUTTED EVENT
STILL IMAGE2	IMAGE ACQUISITION	F1KEY
	FILE ACQUISITION	F2KEY
TEXT2	FILE ACQUISITION	selectKEY

FIG.65










FIG.67




```
1:<smil>
2: <head>
    <meta name="title" content="navigation" />
     <meta name="readOnly" content="yes" />
     <meta name="role" content="template" />
6:
      <root-layout width="352" height="144"/>
7:
      <region id="Image" width="176" height="120" left="0" top="0" />
8:
      <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
      <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
     </layout>
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
12:
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
13:
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
14:
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
16: </head>
```

FIG.69




```
1:<smil>
 2:<head>
 3: <layout>
     <root-layout width="240" height="260"/>
     <region id="image" top="20" left="20" width="200" height="200" />
     <region id="text" top="220" left="10" width="240" height="20" />
 7: </layout>
 8:</head>
 9:<body>
10: <par dur="2s">
     <img src="top.jpg" region="image" />
     <text src="top.txt" region="text" />
12:
13: </par>
14: <par dur="6s">
     <img src="image.jpg" region="image" />
15:
     <audio src="bgm.amr" />
16:
17:
     <text src="message.txt" region="text" />
18: </par>
19:</body>
20:</smil>
```

```
1:<html>
 2: <body>
 3:
     <form action="http://localhost/mmproc" method="post">
 4:
       <a href="mailto:label">SELECT PHOTO</a>
       <input name="image.jpg" type="file" accept="image/*" />
 5:
 6:
       </label>
 7:
       <label>ENTER BIRTHDAY MESSAGE
 8:
        <input name="message.txt" type="text" />
 9:
       </label>
       <input type="submit" value="send"/>
10:
11: </form>
12: </body>
13:</html>
```



- 1:<?xml version="1.0" encoding="UTF-8"?>
 2:<mmstemplate xmlns=http://www.foo.com/2003/MMSTemplate ...>
 3: <head>
- 4: <title>Postcard Example</title>
- 5: </head>
- 6: <composition>
- 7: <template src="http://www.example.com/postcard-comp.htm"/>
- 8: </composition>
- 9: cpresentation>
- 10: <template src="http://www.example.com/postcard-rend.smi"/>
- 12: </presentation>
- 13:</mmstemplate>



```
1:<?xml version="1.0" encoding="Shift_JIS"?>
 2:<smil>
 3:<head>
 4: <layout>
     <root-layout backgroundColor="black"/>
     <region id="main" top="0%" left="10%" width="80%" height="100%" z-index="1"/>
     <region id="right" right="0%" top="0%" width="10%" height="100%" z-index="0"/>
 7:
     <region id="left" left="0%" top="0%" width="10%" height="100%" z-index="0"/>
 9: </layout>
10:</head>
11:<body>
12: <par repeatCount="indefinite">
     <video id="tvcontents" src="data:,dummy" region="main" />
     <img src="http://www.example.com/tvinfo/r-info.jpg"region="right" />
14:
15:
     <img src="http://www.example.com/tvinfo/l-info.jpg"region="left" />
16: </par>
17:</body>
18:</smil>
```

```
1:<?xml version="1.0" encoding="Shift_JIS"?>
 2:<psd version="1.0">
 3: <channel>SMIL CHANNEL</channel>
 4: <day value="2003-09-29">
 5: <embededid value= "tvcontents" />
 6:
     program>
 7:
      <schedule>
        <starttime value="0:00"/>
 8:
        <endtime value="2:00"/>
 9:
10:
      </schedule>
      <title>ANIMATION</title>
11:
      <ref href="ch_4"/>
12:
13:
     14:
     program>
      <schedule>
15:
16:
       <starttime value="2:00"/>
       <endtime value="4:00"/>
17:
18:
      </schedule>
19:
      <title>SHAARP PRODUCT INFORMATION</title>
20:
      <ref ref="www.example.com/product.smil"/>
21:
     gram>
      (OMITTED: DESCRIPTION AT AND AFTER 4:00 CONTINUES)
 : </day>
 : <day value="2003-09-30">
 : </day>
 :</psd>
```

- 1:<?xml version="1.0" encoding="Shift_JIS"?>
- 2:<mmstemplate>
- 3: <head>
- 4: <title>SMIL CHANNEL</title>
- 5: </head>
- 6: <composition>
- 7: <template src="smil.psd"/>
- 8: </composition>
- 9: cpresentation>
- 10: <template src="tvlayout.smil"/>
- 11: </presentation>
- 12:</mmstemplate>

FIG.78




FIG.79




FIG.80A

DisplayScheduler java.util.LinkedList DisplayContentList // HOLDING OF DisplayContent CLASS IN LIST int CurrentTime // TIME OF REPRODUCTION AT THIS TIME

FIG.80B

	Display	Content
java.lang.String MediaType	11:	MEDIA TYPE
java.io.File MediaFile	//	FILE NAME
java.awt.Rectangle Region	//	DISPLAY REGION
int BeginTime	//	TIME OF START OF REPRODUCTION(sec)
int EndTime	//	TIME OF COMPLETION OF REPRODUCTION
java.lang.String EvtSrc	//	event src
java.lang.String EvtType	//	event type
java.lang.String EvtDesc	//	event desc
java.lang.String ActId	//	action id
java.lang.String ActType	//	action type
java.net.URI ActDest	//	action dest
	٠	

ThirdImage.jpg | ThirdText.txt | ThirdSound.smf | BottomText.txt text 0, 121, 352, 24 Ξ 5 audio 9 19 0000 text 0, 176, 120 5 <u>6</u> တ mg 0, 0, 176, 5 19 ω CAMERA STARTUP | TEXT INPUT | SOUND RECORDING plugin://camera|plugin://textedit|plugin://speech_config| act_speech audio insert timer 5 **2s** 0 0 0 0 act_text select insert text 176, 0, 176, 120 15 ョ ဖ act_image select insert 0, 0, 176, img 15 5 Ŋ FirstImage.mpg | First Text.txt | FirstSound.smf | SecondText.txt text 0, 121, 352, 24 15 4 audio က 0,0 text 0, 176, 120 2 0 ω plugin://movie MOVIE STARTUP act_movie replace video 0, 0, 176, 120 0 ω ATTRIBUTES ActType Region (x,y,w,h) EvType EvDesc ActDest Media Media Media EvSrc Begin ActId Type Time Time End


FIG.81

ThirdImage.jpg | ThirdText.txt | ThirdSound.smf | BottomText.txt text 0, 121, 352, 24 Ξ 15 audio 9 19 0000 text 176, 0, 176, 120 15 19 E S 0, 0, 176, 5 13 CAMERA STARTUP TEXT INPUT SOUND RECORDING plugin://camera|plugin://textedit|plugin://speech_config| FirstImage.mpg | FirstText.txt | FirstSound.smf | SecondText.txt | CameraPict01.jpg | EditText01.txt | Voice01.amr act_speech audio insert timer 5 **2**s <u>0 0 0 0</u> ω act_text select insert text 176, 0, 176, 120 15 5 9 act_image select insert 0, 176, 120 5 5 വ ω text 0, 121, 352, 24 5 4 audio က 0 0 text 0, 176, 120 0 ω plugin://movie MOVIE STARTUP act_movie replace select video 0, 0, 176, 120 0 ω ATTRIBUTES | ActType ActDest Region (x,y,w,h) EvType EvDesc Media Media Media EvSrc Type Begin ActId Time Time End

FIG.82

```
1: <smil>
 2: <head>
      <meta name="title" content="navigation" />
      <meta name="author" content="Okure" />
 5:
      <meta name="role" content="template" />
 6:
      <layout>
 7:
       <root-layout width="352" height="144" />
 8:
       <region id="Image" width="176" height="120" left="0" top="0" />
 9:
       <region id="Text" width="176" height="120" left="176" top="0" />
        <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
       </lavout>
12:
       <action id="act_movie" type="replace" dest="plugin://movie" region=</pre>
13:
      <action id="act_image" type="replace" dest="plugin://camera" region=</pre>
                                                                    "Image" />
      <action id="act_text" type="replace" dest="plugin://textedit" region="Text" />
14:
15:
      <action id="act_speech" type="replace" dest="plugin://speech_config" />
16:
     </head>
17:
     <body>
18:
      <par>
19:
        <seq>
20:
         <par dur = "8s">
21:
          <video src = "FirstImage.mpg" region = "Image" />
22:
          <text src = "FirstText.txt" region = "Text" />
23:
          <audio src = "FirstSound.smf" />
24:
          <event ref ="act_movie" src="UI" type="select" desc="MOVIE STARTUP" />
25:
         </par>
26:
         \langle par dur = "7s" \rangle
27:
          <text src = "SecondText.txt" region = "foot" />
         <img src = "CameraPict01.jpg" region = "Image" />
         <text src = "EditText01.txt" region = "Text" />
         <audio src = "Voice01.amr" />
28:
          <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP" />
29:
          <event ref="act_text" src="UI" type="select" desc="TEXT INPUT" />
30:
          <event ref="act_speech" src="timer" type="2s" desc="SOUND RECORDING" />
31:
         </par>
32:
         <par dur = "4s">
33:
          <img src = "ThirdImage.jpg" region = "Image" />
34:
          <text src = "ThirdText.txt" region = "Text" />
35:
          <audio src = "ThirdSound.smf" />
36:
         </par>
37:
       </seq>
38:
       <text src="BottomText.txt" region="foot" begin="4s" end="15s" />
39:
      </par>
40: </body>
41: </smil>
```

```
1: <smil>
    <head>
 2:
 3:
      <meta name="title" content="navigation" />
      <meta name="author" content="Okure" />
4:
      <meta name="role" content="template" />
5:
 6:
      <lavout>
       <root-layout width="352" height="144" />
7:
       <region id="Image" width="176" height="120" left="0" top="0" />
8:
       <region id="Text" width="176" height="120" left="176" top="0" />
9:
        <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
      </layout>
12:
13:
14:
15:
16:
     </head>
17:
     <body>
18:
      <par>
19:
        <sea>
         \langle par dur = "8s" \rangle
20:
21:
           <video src = "FirstImage.mpg" region = "Image" />
           <text src = "FirstText.txt" region = "Text" />
22:
23:
           <audio src = "FirstSound.smf" />
<u> 24:</u>
25:
         </par>
         <par dur = "7s">
26:
           <text src = "SecondText.txt" region = "foot" />
27:
28:
           <img src = "CameraPict01.jpg" region = "Image" />
           <text src = "EditText01.txt" region = "Text" />
29:
           <audio src = "Voice01.amr" />
30:
31:
         </par>
         <par dur = "4s">
32:
           <img src = "ThirdImage.jpg" region = "Image" />
33:
           <text src = "ThirdText.txt" region = "Text" />
34:
           <audio src = "ThirdSound.smf" />
35:
36:
         </par>
37:
        </seq>
38:
        <text src="BottomText.txt" region="foot" begin="4s" end="15s" />
39:
      </par>
40: </body>
41: </smil>
```



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.